

# Eliminate 96% of COVID-19 From Surfaces

**BrandArmor+**  
ANTIMICROBIAL

## ANTIMICROBIAL POLYMER FILM

Unmatched Antimicrobial  
Protection For Your  
Contact Surfaces



**WORKS AGAINST  
COVID-19**

\*SafeWalls eliminates  
up to 96.2% of  
COVID-19 from its  
surface in 1 hour!



BrandArmor.ink  
info@BrandArmor.ink



1-888-96-ARMOR  
(1-888-962-7667)

# Antimicrobial Protection For All Surfaces

## WALLCOVERINGS

*\*Custom printed with any image or pattern*

- Type II Non-PVC
- Wall Wraps for the painted-on look
- Ridged FRP & PVC panels

## WHERE TO USE SAFEWALLS®

- Hospitals
- Senior Care Facilities
- Doctor & Dentist Offices
- Retail Stores
- Office Buildings
- University Dorms
- K-12
- Daycare Facilities
- Food Service

# Safe Walls®

by BrandArmor®

*Beautifully Antibacterial & Antimicrobial*



**WORKS AGAINST  
COVID-19**



## 100% POLYMER FILM

## Certified & Safe



**WORKS AGAINST  
COVID-19**



**ASTM 84  
Class A**




**SAFEWALLS ELIMINATES UP TO 96.2%  
OF COVID-19 FROM ITS SURFACE  
IN 1 HOUR!**



## INHIBITS GROWTH OF MICROBES

# 99.99%

## Unprotected Surface



2 HOURS      16 HOURS      20 HOURS      24 HOURS


## Surface with Antimicrobial Protection



**DURABLE MATTE EASY CLEAN  
POLYMER SURFACE**




## WHY A POLYMER SURFACE?

- BrandArmor+ is chemically inert meaning it can be cleaned with any nonabrasive cleaner or chemical without harming the finish
  - Graffiti resistant, even sharpie doodles simply wipe off
  - Colors stay clean, crisp and bright and they do not fade, inside or outside
- 
- A blue diamond-shaped logo with a white border. Inside the diamond, there is a circular graphic of a hand with white soap suds. The words "STAIN FREE" are written in white, curved text along the top edge of the diamond, and "WORRY FREE" is written along the bottom edge.



## HOW SILVER IONS KILL MICROBES



**BrandArmor.ink**  
**info@BrandArmor.ink**

**1-888-96-ARMOR**  
(1-888-962-7667)

# Antimicrobial Protection For All Surfaces

## HIGH CONTACT SURFACES

- Sneeze Guards
- Elevators
- Public Transportation
- Table Tops & Counters
- Kiosks
- Airport Facilities

## INDUSTRIAL & OEM

- Cooler Interiors
- Equipment Surfaces
- Ambulance Interiors
- Bus Manufacturers
- Prefab Buildings
- Commercial Kitchens

**Safe Walls®**  
by BrandArmor®

*Beautifully Antibacterial & Antimicrobial*



**WORKS AGAINST  
COVID-19**





## CERTIFICATIONS



Tested for COVID-19 effectiveness; test results from Bio Science Laboratories show elimination of up to **96.2%** of COVID-19 from its surface in one hour.



Tested for Antimicrobial effectiveness, resulting in inhibiting growth of microbes by **99.99%**.



USFDA approved under food contact notification no. 481, for indirect food contact applications.



Contains No Haps (Hazardous Air Pollutants).



REACH Certificate of Compliance certifying that a product is compliant with the EU REACH regulation.

REACH stands for the Regulation for Registration, Evaluation, Authorization, and Restriction of Chemicals. The main objective of REACH is to improve protection of human health and the environment from the risks of chemicals.



**ASTM 84  
Class A**

ASTM 84 – Class A rated flame retardant products are certified for fire resistance and self-extinguishing characteristics.

The ASTM 84 – Class A rating ensures that if SafeWalls™ are subjected to a flame, they will not act as a fire promoter to spread the fire further.



**9001:2015**

ISO 9001 is the international standard for a quality management system (“QMS”).



**Fully Underwritten  
& Insured**

## **5-YEAR 100% REPLACEMENT WARRANTY**

**Limited Warranty\***



BrandArmor® warrants that its line of products protected with BrandArmor+® will not fade excessively or undergo excessive color degradation to the extent that the product becomes ineffective for its intended advertising or identification purpose when viewed at a normal distance of 10ft. for a period of 5 years.

BrandArmor® warrants that its products protected with BrandArmor+® will remain cleanable, bright and cleanable for a minimum of 5-years and that dirt or environmental pollutants, even graffiti will be able to be cleaned off of the BrandArmor+® surface without damaging the surface <sup>1</sup>

If the material fades or undergoes excessive color degradation or does not allow surface dirt and pollutants to be able to be cleaned off as described above, BrandArmor® will replace the product or damaged portion thereof at no charge during the warranty period.

The foregoing is not applicable to products which have been damaged by neglect, mishandling or other damage including but not limited to abrasions and cuts on the surface of the product that penetrate the product surface.

BrandArmor's® liability under warranty is limited to replacement of the product (not including installation or shipping) as stated herein and BrandArmor® will have no liability for any incidental or consequential losses or expenses. No replacement will be made for any product, which has been in use for more than the 5-year period.

BrandArmor® will have no obligation under this warranty until all bills for products have been paid in full. During the term of this warranty, BrandArmor® employees or agents shall have free access to the products during regular business hours, or as requested.

THIS WARRANTY IS GIVEN IN LIEU OF ALL WARRANTIES EXPRESS OR IMPLIED AND CONSTITUTES BRANDARMOR'S® SOLE FIVE (5) YEAR WARRANTY FOR BRANDARMOR® PRODUCTS PROTECTED WITH BRANDARMOR®

THERE IS NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OTHER WARRANTY EXPRESS OR IMPLIED OTHER THAN AS SET FORTH IN THIS WARRANTY. IN ADDITION, THERE ARE NO REMEDIES AVAILABLE OTHER THAN THE REMEDIES SET FORTH IN THIS LIMITED WARRANTY

<sup>1</sup> Products protected with BrandArmor® can be cleaned with most non-abrasive cleaners. It is recommended you first use either soap and water or one of the many citrus cleaners available in the market. In most cases, due to the low energy surface that is all that will be required. From time to time you may need to use an alternative chemical such as Acetone, Paint Thinner or MEK (taking all protective precautions called for on the manufacturer's instructions) to remove things like paint, tar, or other stubborn stains. Always test your product in an inconspicuous area first.

**DO NOT USE ANY TYPE OF ABRASIVE CLEANER OR SPONGE WITH ABRASIVE SURFACE AS IT WILL DAMAGE THE SURFACE AND VOID THE WARRANTY.**

