



HP PageWide XL 4250 40-in Printer with Top Stacker

Fast, efficient printing experience with the ultimate security¹



Fast mono and color print, keep cost under

- Don't waste time waiting on prints—highproductivity monochrome and color speeds up to 12 D pages/min.²
- Excellent technical prints with HP PageWide XL pigment inks—vivid color, crisp lines, fine detail
- Save with low running costs in mono and color⁴ and with up to 10 times lower energy consumption.5
- Eco-Carton replaces plastic cartridge—80% reduction in plastic and 66% CO2e reduction⁶, free take back.7

Extreme simplicity

- Easy printing and workflow efficiency with HP Click, HP SmartStream software, HP SmartTracker cost
- The market's largest 15-inch touchscreen⁸ makes it easy to operate from the front and the back.
- Easy collaboration—access personal/network group folders at touchscreen; print, save, and share right away.

World class printer protection with HP Wolf **Pro Security**

- Best network protection with HP Connection Inspector dynamic security, HP Secure Boot, and Whitelisting.1
- Keep your fleet secure and set security preferences—any time—with HP Security Manager software.
- Control who accesses the printer and its confidential documents with secure user authentication.

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Based on comparison of published security specifications commissioned by HP and performed by Sogeti in January, 2024. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide as of 2023 according to IDC. Comparison matrix and further details available upon request.

The HP PageWide XL 4250 Printer delivers 12 CAD output D/A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed.

Based on testing commissioned by HP and performed by Sogeti in September, 2020. Fine detail based on the number of line breaks found in 1.5 mm of line. On vertical 1 px C,M,XK lines. Printed on 0ce 75 g plain paper using equivalent fast/high-speed print modes. For output produced with an HP PageWide XL 8200 Printer and comparable printers from different manufacturers and that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC.

Acalculation based on total cost of ownership comparable or comparable competitive printer, considering average printhead life. Results show maintenance costs reduced by 50% when printing technical drawings. Analysis period of 5 years and assuming a production of 1000 m²/month with a printing category distribution of: 80% lines, 20% high-density images. Testing commissioned by HP and performed by Sogeti in September, 2020.

Based on tests performed internally by HP based on 150 20690 and performed in replementer, 2020. Comparable printers using LED technology based on LED printers capable of printing 4-6 D/A1 pages per minute and which represent the majority market share of mid-volume LED printers in the US and Europe according to IDC. So of October, 2020.

Based on 1-liter cartridge, figures might be slightly different for 500—nlc cartridge, Co2e reduction based on moving from plastic ink cartridge to cardboard HP Eco-Carton ink cartridge, with annual manufacturing savings of 36 tons and transport savings of 1 ton. Equivalent to 147,755 km

to 147,755 km (91,811 miles) driven by an average passenger vehicle or 4,713,692 million smartphones charged.

7 Visit https://www.hp.com/recycle to see how to participate and for HP Planet Partners program availability, program may not be available in your jurisdiction. Where this program is not available, and for other consumables not included in the program, consult your local waste authorities on appropriate disposal.

8 Based on comparison of published front panel specifications commissioned by HP and performed by Sogeti in September, 2020. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide

Technical specifications

Cartridge size 500 ml Printheads 8 (C, M, Y, K) Average printhead life 32 L Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first Print resolution 1200 x 1200 dpi Minimum line width 0.0008 in (HP-GL/2 addressable) Line accuracy ±0.1% 1 Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media toppes Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media toppes Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media toppes Bond and recycled papers (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DBN4 Hard drive SOG GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPE G Print languages (optional) Adobe Post Script 3, Adobe POF 1.7 (with Post Script/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, Print OS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths	General	
Applications Line drawings; Maps; Orthophotos; Posters ink types Pigment-based (C, M, Y, K) Ink cartridges 4 (C, M, Y, K) Average printheads 8 (C, M, Y, K) Average printhead iffe 32 L Printheads 8 (C, M, Y, K) Average printhead life 32 L Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first Print resolution 1200 x 1200 dpi Minimum line width 0,0008 in (HP-GL/2 addressable) Line accuracy ±0.1% 1 Print preed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll drameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media othut (Standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memony 8 (B DDR4 Hard drive 500 (B HDD (AES-256 encrypted) Native print Languages (pottonal) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP-GL/Z, Tiff, JPEG Print Ianguages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP-Bartner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths	Description	Large-format color printer
ink types Pigment-based (C, M, Y, K) ink cartridges 4 (C, M, Y, K) Cartridge Size 500 ml Printheads 8 (C, M, Y, K) Average printhead life 32 L Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first 120 x 1200 dpi Minimum line width 0,0008 in (HP-GL/2 addressable) Line accuracy 20,1%1 Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warra-up time No warm up First page out 22 sec (from USB) Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media thickness Up to 15.7 mil Media dispes Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded Contoller Processor Intel Celeron Memory 8 68 DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GLZ, TIFF, IPEG Print languages (Optional) Adobe Post Script 3, Adobe POF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Etherner (1000Base-T), USB 2.0 host Printing paths Printing paths	Technology	HP PageWide Technology
ink cartridges 4 (C, M, Y, K) Cartridge size 500 ml Printheads 8 (C, M, Y, K) Average printhead life 32 L Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first Print resolution 1200 x 1200 dpi Minimum line width 0,000 lin (HP-GL/2 addressable) Line accuracy ±0.1% 1 Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media outline 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media toputs (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages (potional) Adobe Post Script 3. Adobe POF 1.7 (with Post Script/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, Print OS Connectivity Interface Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint	Applications	Line drawings; Maps; Orthophotos; Posters
Cartridge size 500 ml Printheads 8 (C, M, Y, K) Average printhead life 32 L Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first Print resolution 1200 x 1200 dpi Minimum line width 0.0008 in (HP-GL/2 addressable) Line accuracy ±0.1% 1 Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media toppes Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media toppes Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media toppes Bond and recycled papers (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DBN4 Hard drive SOG GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPE G Print languages (optional) Adobe Post Script 3, Adobe POF 1.7 (with Post Script/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, Print OS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths	Ink types	Pigment-based (C, M, Y, K)
Printheads 8 (C, M, Y, K) Average printhead life 32 L Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first Print resolution 1200 x 1200 dpi Minimum line width 0.0008 in (HP-GL/2 addressable) Line accuracy ±0.1% ¹ Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Gommage 19 to 53 lb Media thickness Up to 15.7 mil Media toypes Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HD0 (AES-256 encrypted) Native print languages (optional) Adobe Post Script 3, Adobe PDF 1.7 (with Post Script/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interface Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths PCL33, Apple AirPrint User interface	Ink cartridges	4 (C, M, Y, K)
Average printhead life 32 L Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first withchear comes first st. Print resolution 1200 x 1200 dpi Minimum line width 0.0008 in (HP-GL/2 addressable) Line accuracy ±0.1%¹ Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media thickness Up to 15.7 mil Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages (potional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interface Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths Printing paths	Cartridge size	500 ml
Printhead warranty 12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first 1200 x 1200 dpi Minimum line width 0.0008 in (HP-GL/2 addressable) Line accuracy ±0.1% 1 Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media orbits 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media trickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media types Bond and recycled papers apacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive S00 GB HDD (AES-256 encrypted) Native print languages (pttional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interface User interface HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint	Printheads	8 (C, M, Y, K)
whichever comes first Print resolution 1200 x 1200 dpi Minimum line width 0.0008 in (HP-GL/2 addressable) Line accuracy ±0.1% 1 Technical documents (from rollt) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 33 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive S00 GB HDD (AES-256 encrypted) Native print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Intel faces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP-GL/2, Apple AirPrint User interface Wintel Address Supplement S	Average printhead life	32 L
Minimum line width 0.0008 in (HP-GL/2 addressable) Line accuracy ±0.1% ¹ Print speed Technical documents (from roll) Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, PEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Intel Gas in the Collery of the Post of th	Printhead warranty	
Line accuracy ±0.1%1 Print speed Technical documents (from roll) Up to 650 ANSI D pages/hr, 12 ANSI D pages/min Warm-up time No warm up First page out 22 sec (from USB) Media Media 7 Media 7 Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media tokpes Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages (optional) Adobe Post Script 3, Adobe PDF 1.7 (with Post Script/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Intel Gaes A Sin HP -GL/2, and PCL/3, Apple Air Print HP Smart Stream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple Air Print User interface	Print resolution	1200 x 1200 dpi
Print speed Technical documents (from roll) Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media toutput (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Minimum line width	0.0008 in (HP-GL/2 addressable)
Technical documents (from roll) Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media toutput (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Line accuracy	±0.1% ¹
Warm-up time No warm up First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Print speed	
First page out 22 sec (from USB) Media Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint	Technical documents (from roll)	Up to 650 ANSI D pages/hr, 12 ANSI D pages/min
Media 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-17), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Warm-up time	No warm up
Media rolls 2 rolls default with auto-switching, expandable to 4 rolls Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint	First page out	22 sec (from USB)
Roll size 11 to 40 in Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-17), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint	Media	
Maximum roll diameter Up to 7 in Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media thickness Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/Z, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/Z, and PCL3), Apple AirPrint User interface	Media rolls	2 rolls default with auto-switching, expandable to 4 rolls
Roll core diameter 3 in Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media thickness Up to 15.7 mil Media topyes Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/Z, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/Z, and PCL3), Apple AirPrint User interface	Roll size	11 to 40 in
Grammage 19 to 53 lb Media thickness Up to 15.7 mil Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Maximum roll diameter	Up to 7 in
Media thickness Up to 15.7 mil Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/Z, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/Z, and PCL3), Apple AirPrint User interface	Roll core diameter	3 in
Media types Bond and recycled papers, poster papers, polypropylene, Tywek papers, matte film Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Grammage	19 to 53 lb
Media output (standard) Top stacker (up to 100-page capacity) Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Media thickness	Up to 15.7 mil
Embedded controller Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint	Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film
Processor Intel Celeron Memory 8 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/Z, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint	Media output (standard)	Top stacker (up to 100-page capacity)
Memory 8 6 GB DDR4 Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Embedded controller	
Hard drive 500 GB HDD (AES-256 encrypted) Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-1), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Processor	Intel Celeron
Native print languages HP-GL/2, TIFF, JPEG Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Memory	8 GB DDR4
Print languages (optional) Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade) Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Hard drive	500 GB HDD (AES-256 encrypted)
Remote management HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Native print languages	HP-GL/2, TIFF, JPEG
Connectivity Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User interface	Print languages (optional)	Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade)
Interfaces Gigabit Ethernet (1000Base-T), USB 2.0 host Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User Interface	Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS
Printing paths HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint User Interface	Connectivity	
PCL3), Apple AirPrint User interface	Interfaces	Gigabit Ethernet (1000Base-T), USB 2.0 host
	Printing paths	HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint
User interface 15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen	User interface	
	User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen



Dimensions (W x D x H)		
Printer	77 x 30.9 x 55.7 in	
Shipping	88.9 x 40.9 x 62.1 in	
Weight		
Printer	930 lb	
Shipping	1313 lb	
Environmental		
Operating temperature	41 to 104°F	
Operating humidity	20 to 80% RH, depending on media type	
Acoustics		
Sound pressure	\leq 60 dB(A) (operating), \leq 36 dB(A) (idle), \leq 20 dB(A) (sleep)	
Sound power	≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)	
Power		
Consumption	0.27 kW (typical); 0.7 kW (max printing); 95 W (ready); <16 W (sleep)	
Requirements	Input voltage (auto ranging) 100-127/200-240 V (±10%), 50/60 Hz (±3 Hz), 7/3.5 A	
Certification		
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)	
Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)	
Environmental	ENERGY STAR, EPEAT Registered, UL 2801 ECOLOGO, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine	
Warranty	90 days	

Product			
86Z38A	HP PageWide XL 4250 40-in Printer with Top Stacker		
Accessories			
2NH46AAE	HP SmartStream Document Organizer Module		
2NH47AAE	HP SmartStream Pixel Analysis Module		
5EK00A	HP HD Pro 2 42-in Scanner		
5EK01A	HP SD Pro 2 44-in Scanner		
6UA02AAE	HP SmartStream Workflow Management Module		
8SB02A	HP PageWide XL Drawer		
8SB07A	HP PageWide XL PostScript/PDF Upgrade Kit		
8SW00A	HP SmartStream USB Preflight Manager		
8SW00AAE	HP SmartStream Preflight Manager		
8SW03A	HP SmartStream Print Controller USB for HP PageWide XL 4000 Printer series		
8SW03AAE	HP SmartStream Print Controller for HP PageWide XL 4000 Printer series		
8SW13A	HP SmartTracker USB for HP PageWide XL 4000 Printer series		
8SW13AAE	HP SmartTracker for HP PageWide XL 4000 Printer series		
8SW21A	HP Click USB for HP PageWide XL 4000 Printer series		

3ED83A	HP 865 500-ml Magenta PageWide XL Ink Cartridge
3ED84A	HP 865 500-ml Yellow PageWide XL Ink Cartridge
3ED85A	HP 865 500-ml Cyan PageWide XL Ink Cartridge
3ED86A	HP 864 500-ml Black PageWide XL Ink Cartridge
3WW73A	HP 874/876 PageWide XL Cleaning Container
3WW99A	HP 841/874/876 PageWide XL Maintenance Cartridge
C1Q19A	HP 841/874 PageWide XL Printhead

Original HP large format printing materials

Original HP printing supplies

HP Universal Bond Paper, 3-in Core (FSC® certified)² (recyclable)³
HP Production Matte Poster Paper, 3-in Core (FSC® certified)² (recyclable)³
HP Production Satin Poster Paper, 3-in Core (FSC® certified)² (recyclable)³
HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)² (recyclable)³
HP Matte Polypropylene, 3-in Core

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

link.

2 BMG trademark license code FSC®-C115319, see http://www.fsc.org . HP trademark license code FSC®-C017543, see http://www.fsc.org . Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit http://www.HPLFMedia.com

3 Can be recycled through commonly available recycling programs.























 $^{^1}$ ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment